

PERP Report

Butadiene/Butylenes

05/06-5

January 2007



44 South Broadway, White Plains, New York 10601, USA

Tel: +1 914 609 0300 Fax: +1 914 609 0399

Copyright© by Nexant, Inc. 2007

This report was prepared by Nexant Limited ("Nexant"), for the use of (CLIENT) in support of their own consideration of whether and how to proceed with the subject of this report. Except where specifically stated otherwise in the report, the information contained herein was prepared on the basis of information that is publicly available or was provided by the Client and has not been independently verified or otherwise examined to determine its accuracy, completeness or financial feasibility.

Neither NEXANT, CLIENT nor any person acting on behalf of either assumes any liabilities with respect to the use of or for damages resulting from the use of any information contained in this report. NEXANT does not represent or warrant that any assumed conditions will come to pass. This report speaks only as of the date herein and NEXANT has no responsibility to update this report.

This report is integral and must be read in its entirety.

The report is submitted on the understanding that the CLIENT will maintain the contents confidential except for the CLIENT's internal use. The report should not be reproduced, distributed or used without first obtaining prior written consent by NEXANT. This report may not be relied upon by others.

This notice must accompany every copy of this report.

Contents

| Section | Page |
|--|------|
| 1 Executive Summary | 1 |
| 1.1 OVERVIEW | 1 |
| 1.1.1 C ₄ Hydrocarbon Derivatives | 1 |
| 1.2 PROCESS ECONOMICS | 4 |
| 1.2.1 Recycle Co-Cracking | 4 |
| 1.2.2 Pure C ₄ Components | 5 |
| 1.3 MARKET REVIEW | 10 |
| 1.3.1 United States | 10 |
| 1.3.2 Western Europe | 11 |
| 1.3.3 Asia Pacific | 11 |
| 2 Commercial Technologies | 13 |
| 2.1 OUTLINE OF THE STUDY | 13 |
| 2.2 OVERVIEW OF C ₄ HYDROCARBON DERIVATIVES | 14 |
| 2.2.1 Butadiene | 14 |
| 2.2.2 Isobutylene (2-Methyl Propene) | 14 |
| 2.2.3 Butene-1 | 16 |
| 2.2.4 <i>n</i> -Butenes | 16 |
| 2.2.5 Mixed and Refined Butanes | 16 |
| 2.2.6 C ₄ Acetylenes | 16 |
| 2.2.7 Licensors | 17 |
| 2.2.8 Study Focus | 17 |
| 2.3 OVERVIEW OF C ₄ INTEGRATION | 17 |
| 2.4 RECYCLE CO-CRACKING | 19 |
| 2.4.1 Overview | 19 |
| 2.4.2 Discussion | 20 |
| 2.5 SELECTIVE AND FULL HYDROGENATION OF MIXED C ₄ S | 21 |
| 2.5.1 Overview | 21 |
| 2.5.2 Selective Hydrogenation | 21 |
| 2.5.3 Full Hydrogenation | 24 |

| | | |
|----------|---|-----------|
| 2.5.4 | Recycle Potential | 26 |
| 2.6 | BUTADIENE..... | 27 |
| 2.6.1 | Introduction..... | 27 |
| 2.6.2 | Extractive Distillation | 27 |
| 2.6.3 | Dehydrogenation Technology..... | 35 |
| 2.7 | ISOBUTYLENE (ISOBUTENE OR 2-METHYLPROPENE)..... | 40 |
| 2.7.1 | MTBE Decomposition..... | 40 |
| 2.7.2 | TBA Decomposition | 44 |
| 2.7.3 | Dehydrogenation Technology from Isobutane | 44 |
| 2.7.4 | Cold Acid Extraction (CFR Process)..... | 58 |
| 2.8 | PROCESSES FOR PRODUCING BUTENE-1 | 62 |
| 2.8.1 | Hydrogenation/Fractionation..... | 62 |
| 2.8.2 | Extractive Distillation (Nippon Zeon using DMF)..... | 64 |
| 2.8.3 | UOP Sorbutene Process | 65 |
| 2.8.4 | Alphabutol (Axens/SABIC Ethylene Dimerization Process) | 68 |
| 2.8.5 | Linear Alpha Olefins (LAO)..... | 71 |
| 2.9 | ADDING VALUE | 72 |
| 2.9.1 | Skeletal Isomerization..... | 73 |
| 2.9.2 | C ₄ Olefin/Paraffin Separation | 81 |
| 3 | Developing Technologies | 83 |
| 3.1 | ABB LUMMUS GLOBAL..... | 83 |
| 3.2 | BASF..... | 85 |
| 3.2.1 | Method for the Production of Butadiene from Normal Butane | 85 |
| 3.2.2 | Method for Separating a C ₄ Hydrocarbon Mixture..... | 85 |
| 3.3 | CHEVRON PHILLIPS | 87 |
| 3.4 | HUNTSMAN..... | 89 |
| 3.5 | SUMITOMO..... | 89 |
| 3.6 | CATALYTIC DISTILLATION TECHNOLOGIES (CDT) | 90 |
| 3.7 | EQUISTAR..... | 90 |
| 3.8 | DUPONT | 91 |
| 4 | Economic Analysis | 92 |

| | | |
|----------|--|------------|
| 4.1 | PRICING BASIS | 92 |
| 4.2 | NOTES ON COST OF PRODUCTION ANALYSIS | 93 |
| | 4.2.1 Battery Limits | 93 |
| | 4.2.2 Production Costs | 93 |
| 4.3 | RECYCLE CO-CRACKING ECONOMICS | 94 |
| | 4.3.1 Hydrogenation Economics | 94 |
| | 4.3.2 Cracking Economics | 97 |
| | 4.3.3 Cracking Economic Sensitivities | 101 |
| | 4.3.4 Conclusions on Recycle Co-Cracking and Hydrogenation | 103 |
| 4.4 | COST OF PRODUCTION OF C ₄ COMPONENTS | 104 |
| | 4.4.1 General | 104 |
| | 4.4.2 Effect of Severity and Feedstock | 104 |
| | 4.4.3 Butadiene | 104 |
| | 4.4.4 Isobutylene | 108 |
| | 4.4.5 Butene-1 | 113 |
| 4.5 | ADDED VALUE | 126 |
| | 4.5.1 The Integrated Cracker | 126 |
| | 4.5.2 Dehydrogenation and Skeletal Isomerization | 131 |
| | 4.5.3 Summary | 132 |
| 4.6 | CONCLUSIONS | 136 |
| 5 | Commercial Analysis | 138 |
| 5.1 | UNITED STATES | 138 |
| | 5.1.1 Consumption | 138 |
| | 5.1.2 Supply | 138 |
| | 5.1.3 Supply, Demand and Trade | 139 |
| 5.2 | WESTERN EUROPE | 140 |
| | 5.2.1 Consumption | 140 |
| | 5.2.2 Supply | 141 |
| | 5.2.3 Supply, Demand and Trade | 141 |
| 5.3 | ASIA PACIFIC | 143 |
| | 5.3.1 Consumption | 143 |

| | | |
|----------|-------------------------------|------------|
| 5.3.2 | Supply | 143 |
| 5.3.3 | Supply, Demand and Trade..... | 146 |
| 6 | References | 147 |

| Appendix | | Page |
|----------|--|------------|
| A | Elements of Nexant's ChemSystems Capital Cost Estimates | A-1 |
| B | PERP Program Title Index | B-1 |

| Figure | Page |
|---|------|
| 1.1 The C ₄ s Derivative Chain | 2 |
| 1.2 Ethylene Cost of Production – C ₄ Cracking Options..... | 5 |
| 1.3 Comparison of Butadiene Production Costs..... | 6 |
| 1.4 Production Costs for Isobutylene..... | 8 |
| 1.5 Comparison of Butene-1 Production Costs..... | 10 |
| 2.1 The C ₄ s Derivative Chain | 15 |
| 2.2 Integrated C ₄ Chains | 18 |
| 2.3 Partial Hydrogenation of C ₄ Streams (Axens Process)..... | 22 |
| 2.4 Total Hydrogenation of C ₄ Stream to Butanes (Lummus Process) | 25 |
| 2.5 BASF – Process for the Extraction of 1,3-Butadiene | 29 |
| 2.6 Separation Systems | 31 |
| 2.7 Dividing Wall Column Applications: Butadiene Extraction | 32 |
| 2.8 C ₄ Thermodynamic Equilibrium, Atmospheric | 35 |
| 2.9 C ₄ Thermodynamic Equilibrium, Sub-Atmospheric Pressure..... | 36 |
| 2.10 Butadiene Production by n-Butane Dehydrogenation (Catadiene™)..... | 38 |
| 2.11 Production of Butadiene by Petro-Tex Oxo-D Process | 39 |
| 2.12 Block Flow Diagram - Isobutylene Derivatives Example | 41 |
| 2.13 Isobutene Synthesis and Purification..... | 42 |
| 2.14 Paraffin Dehydrogenation..... | 45 |
| 2.15 ABB LUMMUS CATOFIN Process Flow Diagram..... | 50 |
| 2.16 ABB Lummus Catofin Process Flow Diagram..... | 52 |
| 2.17 Snamprogetti/Yarsintez Isobutane Dehydrogenation | 55 |
| 2.18 Krupp Uhde STAR Dehydrogenation Process Simplified Flow Diagram | 57 |
| 2.19 Isobutylene Extraction (CFR Process)..... | 61 |
| 2.20 Selective Hydrogenation for Butene-1 Product..... | 63 |
| 2.21 Nippon Zeon Extractive Distillation..... | 66 |
| 2.22 Selective Hydrogenation + UOP Sorbutene Process for Butylenes Separation | 67 |
| 2.23 Butene-1 via Ethylene Dimerization (Axens/SABIC Alphabutol Process)..... | 70 |
| 2.24 Linear Alpha Olefin Consumption by End-Use..... | 71 |

| | | |
|------|--|-----|
| 2.25 | Butylene Thermodynamic Composition at Atmospheric Pressure | 73 |
| 2.26 | Axens Iso-4 Catalyst Regeneration..... | 76 |
| 2.27 | SKIP Process Flow Diagram | 79 |
| 2.28 | Separation of n-Butane and n-Butenes in an Extractive Distillation Unit using the Butenex Process | 82 |
| 3.1 | Lummus Double-Bond Isomerization Flow Diagram | 86 |
| 3.2 | BASF Process for Separating a C ₄ Hydrocarbon Mixture..... | 88 |
| 4.1 | Historical Butadiene, Propylene, and Raffinate-1 Pricing..... | 97 |
| 4.2 | Ethylene Cost of Production – C ₄ Cracking Options..... | 101 |
| 4.3 | Ethylene Cost of Production – C ₄ Cracking Options as a Function of Propylene Pricing | 102 |
| 4.4 | Ethylene Cost of Production – C ₄ Cracking Options as a Function of Propylene to Butadiene Ratio..... | 102 |
| 4.5 | Ethylene Cost of Production – C ₄ Cracking Options as a Function of Butadiene Price | 103 |
| 4.6 | Comparison of Butadiene Production Costs | 107 |
| 4.7 | Butadiene Production Costs as a Function of Return | 108 |
| 4.8 | Production Costs for Isobutylene..... | 115 |
| 4.9 | Isobutylene Production Costs as a Function of Return..... | 115 |
| 4.10 | Comparison of Butene-1 Production Costs..... | 124 |
| 4.11 | Butene-1 Production Costs as a Function of Return..... | 125 |
| 4.12 | Butene-1 Production Costs versus Economy of Scale..... | 125 |
| 4.13 | Simple C ₄ Upgrading Chain..... | 130 |
| 4.14 | A Complex C ₄ Upgrading Chain | 131 |
| 4.15 | Production Costs for Butadiene from Different C ₄ Upgrading Approaches..... | 136 |
| 5.1 | U.S. Butadiene End-Use Pattern, 2006 | 139 |
| 5.2 | West European Butadiene Consumption, 2006 | 140 |
| 5.3 | Asia Pacific Butadiene Consumption, 2006 | 144 |

| Table | Page |
|--|------|
| 1.1 Cracker Mass Balance..... | 4 |
| 1.2 U.S. Butadiene Supply, Demand and Trade | 10 |
| 1.3 West European Supply, Demand and Trade | 11 |
| 1.4 Asia Pacific Supply, Demand and Trade | 12 |
| 2.1 Cracker Mass Balance..... | 20 |
| 2.2 Composition of Different C ₄ Streams | 26 |
| 2.3 Typical Analyses of C ₄ Products | 27 |
| 2.4 Commercial Isobutane Dehydrogenation Technologies..... | 46 |
| 2.5 Commercial Isobutane Dehydrogenation Technologies Process Performance | 46 |
| 2.6 United States Gulf Coast Dehydrogenation Utility Costs..... | 47 |
| 2.7 Summary of Commercial Dehydrogenation Technologies..... | 48 |
| 2.8 STAR Process Parameters (Isobutane) | 56 |
| 2.9 Compositions For Butene-1 by Fractionation..... | 64 |
| 2.10 Hydrocarbon Solubilities in DMF | 65 |
| 2.11 Stream Compositions and Mass Flow Rates of Sorbutene Butene-1 Production From Standard Conversion MTBE C ₄ Raffinate..... | 68 |
| 2.12 Snamprogetti Isomerization Operating Conditions | 75 |
| 2.13 Axens Isomerization Data..... | 77 |
| 2.14 Axens ISO-4 Process Material Balances | 77 |
| 2.15 SKIP Material Balance | 78 |
| 2.16 IsomPLUS [®] Data | 80 |
| 3.1 Catalyst Impurities..... | 84 |
| 4.1 USGC Price and Utility Basis..... | 92 |
| 4.2 Cost of Production Estimate for: C ₄ Olefins Process: Selective Hydrogenation of Mixed C ₄ Stream (Axens)..... | 95 |
| 4.3 Cost of Production Estimate for: Mixed Butanes Process: Full Hydrogenation of Mixed C ₄ Stream (Lummus)..... | 96 |
| 4.4 Cost of Production Estimate for: Ethylene Process: Steam Cracking of Light Naphtha w/Butadiene Extraction and Raffinate-1 as a By-Product..... | 98 |
| 4.5 Cost of Production Estimate for: Ethylene Process: Steam Cracking of Light Naphtha w/Full Hydrogenation and Recycle of the C ₄ s..... | 99 |

| | | |
|------|---|-----|
| 4.6 | Cost of Production Estimate for: Ethylene Process: Steam Cracking of Light Naphtha w/Metathesis (selectively hydrogenate the butadiene to butylenes) | 100 |
| 4.7 | Mixed C ₄ and Butadiene Make as a Function of Cracker Feedstock and Severity ... | 104 |
| 4.8 | Cost of Production Estimate for: Butadiene Process: Extractive Distillation using Acetonitrile | 105 |
| 4.9 | Cost of Production Estimate for: Butadiene Process: Oxidative Dehydrogenation (Oxo-D™ Plus Extractive Distillation)..... | 106 |
| 4.10 | Cost of Production Estimate for: Isobutylene Process: MTBE Cracking | 109 |
| 4.11 | Cost of Production Estimate for: Isobutylene Process: TBA Cracking..... | 110 |
| 4.12 | Cost of Production Estimate for: Isobutylene Process: OLEFLEX (large scale dehydrogenation)..... | 111 |
| 4.13 | Cost of Production Estimate for: Isobutylene Process: KRUPP UHDE (Small Scale Dehydrogenation)..... | 112 |
| 4.14 | Cost of Production Estimate for: Isobutylene Process: Acid Extraction..... | 114 |
| 4.15 | Cost of Production Estimate for: Butene-1 Process: Fractionation/Hydrogenation..... | 116 |
| 4.16 | Cost of Production Estimate for: Butene-1 Process: Fractionation..... | 117 |
| 4.17 | Cost of Production Estimate for: Butene-1 Process: Fractionation plus Double-Bond Isomerization | 119 |
| 4.18 | Cost of Production Estimate for: Butene-1 Process: Extractive Distillation (Nippon Zeon)..... | 120 |
| 4.19 | Cost of Production Estimate for: Butene-1 Process: Sorbutene (UOP) | 121 |
| 4.20 | Cost of Production Estimate for: Butene-1 Process: Alphabutol | 122 |
| 4.21 | Cost of Production Estimate for: Linear Alpha Olefins (LAO) Process: ChevronPhillips | 123 |
| 4.22 | Cost of Production Estimate for: Pseudo Raffinate 1 Process: ISOFIN™ (BP ExxonMobil/Kellogg)..... | 127 |
| 4.23 | Cost of Production Estimate for: Mixed Butenes Process: Butenex™ (Krupp Uhde) | 128 |

| | | |
|------|--|-----|
| 4.24 | Cost of Production Estimate for: Butadiene Process: Upgrading Chain w/Selective Hydrogenation, Isobutylene, Butene-1..... | 129 |
| 4.25 | Cost of Production Estimate for: Butadiene Process: Upgrading Chain w/ Oxo-D, Isom, Isobutylene, Butene-1, Butenex (Base Case: Oxo-D, Isom, Butenex not operating)..... | 133 |
| 4.26 | Cost of Production Estimate for: Butadiene Process: Upgrading Chain w/ Selective Hydrogenation, Isobutylene, Butene-1 (Oxo-D Operating; Isom, Butenex not operating) | 134 |
| 4.27 | Cost of Production Estimate for: Butadiene Process: Upgrading Chain w/ Selective Hydrogenation, Isobutylene, Butene-1 (Isom, Butenex operating; Oxo-D not operating) | 135 |
| 5.1 | U.S. Butadiene Capacity, 2006 | 139 |
| 5.2 | U.S. Butadiene Supply, Demand and Trade | 140 |
| 5.3 | Capacities for Butadiene in Western Europe, 2006 | 142 |
| 5.4 | West European Supply, Demand and Trade | 142 |
| 5.5 | Asia Pacific Butadiene Capacity, 2006..... | 145 |
| 5.6 | Asia Pacific Supply, Demand and Trade | 146 |