

BENZENE/TOLUENE

Table of Contents

A Report by Nexant's CHEMSYSTEMS
Process Evaluation/Research Planning (PERP) Program
PERP 2011-1 - Published October 2011

www.chemsystems.com

Section	Page
1 Summary	1
1.1 INTRODUCTION	1
1.2 SOURCES OF AROMATICS	1
1.2.1 Conventional.....	1
1.2.1 Non-Conventional	2
1.3 AROMATICS SEPARATION	4
1.4 DEALKYLATION PROCESSES.....	5
1.5 DEVELOPING TECHNOLOGIES	6
1.5.1 Benzene from Methane	6
1.5.2 Benzene from Biomass.....	7
1.6 ECONOMIC ANALYSIS	8
1.6.1 Reformate	8
1.6.2 Benzene	9
1.6.3 Regional Analysis.....	10
1.7 MARKET ANALYSIS	11
1.7.1 Global	11
1.7.2 United States.....	12
1.7.3 Western Europe	13
1.7.4 Asia/Pacific.....	14
1.8 STRATEGIC CONSIDERATIONS	15
1.9 CONCLUSIONS	17

2	Introduction	19
2.1	REPORT OUTLINE.....	20
2.2	FEEDSTOCKS OVERVIEW.....	20
2.3	STRATEGIC CONSIDERATIONS.....	21
2.4	TECHNOLOGY LICENSING STATUS.....	23
2.5	PHYSICAL AND THERMODYNAMIC PROPERTIES.....	24
2.6	SPECIFICATIONS.....	25
2.7	HEALTH HAZARDS.....	26
2.8	STORAGE AND TRANSPORTATION.....	26
	2.8.1 Storage.....	26
	2.8.2 Transportation.....	27
3	Catalytic Reforming	28
3.1	CHEMISTRY.....	29
	3.1.1 Dehydrogenation Reactions.....	31
	3.1.2 Isomerization of Paraffins and Naphthenes.....	32
	3.1.3 Hydrocracking.....	32
	3.1.4 Miscellaneous Reactions.....	33
3.2	CATALYST.....	33
3.3	PROCESS VARIABLES.....	34
	3.3.1 Pressure.....	34
	3.3.2 Temperature.....	34
	3.3.3 Feedstock Quality.....	35
	3.3.4 Feed Boiling Range.....	35
	3.3.5 Naphtha Quality (Naphthenic versus Paraffinic).....	35
	3.3.6 Impurities.....	36
	3.3.7 Space Velocity.....	36
	3.3.8 Hydrogen to Hydrocarbon Ratio.....	36
3.4	REFORMER TYPES.....	37
	3.4.1 Semi-regenerative.....	37
	3.4.2 Continuous Catalyst Regeneration (CCR).....	37
	3.4.3 Cyclic.....	38
3.5	FEED PREPARATION.....	42
3.6	REFORMER OPERATION.....	44
	3.6.1 Gasoline Mode.....	44
	3.6.2 BTX Operation.....	44
3.7	YIELDS AND UTILITIES.....	45
3.8	COMMERCIAL TECHNOLOGY.....	46
	3.8.1 UOP.....	46
	3.8.2 Axens.....	46
	3.8.3 Other.....	47
3.9	PRODUCTION FROM REFORMATE.....	47
4	Pyrolysis Gasoline	50
4.1	PRODUCTION FROM PYROLYSIS GASOLINE.....	51

5	Coke Oven Light Oil and Light Cycle Oil	54
5.1	PRODUCTION FROM COKE OVEN LIGHT OIL (COLO)	54
5.2	PRODUCTION OF AROMATICS FROM LIGHT CYCLE OIL (LCO).....	56
6	Aromatics Via Non-Conventional Routes	60
6.1	ASAHI KASEI CHEMICALS' ALPHA PROCESS	60
6.1.1	Chemistry	60
6.1.2	Process Description.....	61
6.2	BP/UOP'S CYCLAR™ PROCESS.....	63
6.3	CHEVRON PHILLIPS CHEMICAL'S AROMAX® PROCESS.....	66
6.4	UOP'S RZ PLATFORMING™	69
6.5	HYDROCRACKING OF GAS OILS	71
6.6	SUMMARY OF NON-CONVENTIONAL ROUTES.....	72
7	Aromatics Separation	73
7.1	BTX EXTRACTION PROCESSES	76
7.1.1	Liquid-Liquid Extraction (LLE)	76
7.1.2	Extractive Distillation (ED)	83
8	Dealkylation Processes	86
8.1	HYDRODEALKYLATION	86
8.1.1	Detol® Process	88
8.1.2	Litol® Process	91
8.1.3	Pyrotol®	93
8.2	TOLUENE DISPROPORTIONATION	93
9	Developing Technologies	97
9.1	BENZENE FROM METHANE	97
9.1.1	Mitsubishi Chemical Corp.	98
9.1.2	Mitsui Chemicals, Inc.	98
9.1.3	Conoco Phillips	98
9.1.4	SABIC.....	99
9.1.5	ExxonMobil Chemicals Patents	99
9.2	BENZENE FROM BIOMASS	110
9.2.1	Anellotech, Inc.	110
9.2.2	Virent Energy Systems, Inc.	112
9.3	OTHER PATENTS OF INTEREST	114
9.3.1	Chevron Corp.....	114
9.3.2	ExxonMobil	115
9.3.3	Uhde Gmbh.....	116
10	Economic Analysis	117
10.1	BASIS	117
10.1.1	Pricing Basis	117
10.1.2	Cost of Production Basis.....	119
10.2	INVESTMENT ECONOMICS	120
10.3	COST OF PRODUCTION OF REFORMATE	121
10.3.1	CCR™ Reforming.....	121
10.3.2	RZ Platforming™	122

10.3.3	Cyclar™	122
10.3.4	Aromax®	123
10.3.5	Alpha Process.....	123
10.4	COST OF PRODUCTION OF BENZENE	129
10.4.1	Benzene from Reformate Extraction (Sulfolane) including BTX Distillation.....	129
10.4.2	Benzene Recovery from Pygas	131
10.4.3	Benzene via the Litol Process	135
10.4.4	Benzene via Toluene Hydrodealkylation (THDA)	135
10.4.5	Benzene via Toluene Disproportionation (TDP)	135
10.4.6	Benzene via C ₇ /C ₉ Transalkylation.....	141
10.4.7	Integrated Aromatics Complex	141
10.5	SENSITIVITY	144
10.5.1	Five-Year Average Pricing	144
10.5.2	Feed Price.....	146
10.5.3	Byproduct Pricing	148
10.5.4	Economy of Scale	150
10.6	REGIONAL ANALYSIS – BENZENE EXTRACTION FROM PYGAS	152
10.7	CONCLUDING REMARKS.....	153
11	Commercial Applications	155
11.1	BENZENE	155
11.1.1	Ethylbenzene/Styrene	156
11.1.2	Cumene/Phenol	157
11.1.3	Cyclohexane.....	158
11.1.4	Nitrobenzene	158
11.1.5	Chlorobenzene	158
11.1.6	Alkylbenzene	159
11.1.7	Maleic Anhydride	160
11.1.8	Other	160
11.2	TOLUENE	161
11.2.1	Solvents.....	161
11.2.2	Toluene Diisocyanate.....	161
11.2.3	Phenol	161
11.2.4	Caprolactam	161
11.2.5	Other	162
12	Market Analysis	163
12.1	GLOBAL	163
12.1.1	Demand	163
12.1.2	Supply	164
12.1.3	Trade	166
12.2	UNITED STATES	167
12.2.1	Consumption	167
12.2.2	Supply	169
12.2.3	Supply, Demand, and Trade.....	171

12.3	WESTERN EUROPE	172
12.3.1	Consumption	172
12.3.2	Supply	174
12.3.3	Supply, Demand, and Trade.....	176
12.4	ASIA PACIFIC	178
12.4.1	Consumption	178
12.4.2	Supply	180
12.4.3	Supply, Demand, and Trade.....	187
13	Glossary	189
14	References	193

Appendix		Page
A	Capital Cost Elements	A-1
B	Operating Cost Elements	B-1
C	PERP Program Title Index (2001/2002 - 2011).....	C-1

Figure	Page
1.1 Aromatics Distribution in Conventional and Non-Conventional Routes.....	3
1.2 Reformate Cost of Production	8
1.3 Benzene Cost of Production	9
1.3 Regional Analyses – Benzene Extraction from Pygas	10
1.5 Global Benzene Trade	11
1.6 Benzene to Toluene Price Delta	17
3.1 Semi-regenerative Reformer Process Flow Diagram.....	39
3.2 Continuous Catalytic Reforming Process Flow Diagram	40
3.3 Cyclic Catalytic Reformer Process Flow Diagram	41
3.4 Naphtha Hydrotreater Process Flow Diagram.....	43
3.5 Typical Reformer Yields	49
4.1 Effect of Steam Cracker Feedstock on Aromatics Yield	50
4.2 Effect of Steam Cracker Severity on Aromatics Yields for a Full Range Naphtha Feed.....	51
5.1 COLO Block Flow Diagram	55
5.2 UOP's RxPro™ Process.....	57
5.3 Block Flow Diagram for United States Patent 7 265 252	58
6.1 Alpha Process Flow Diagram.....	62
6.2 UOP/BP Cyclar™ Aromatization Process Flow Diagram	64
6.3 Aromax® (Chevron Phillips) Paraffins to BTX Process Flow Diagram	67
6.4 UOP RZ-Platforming Process Flow Diagram	70
6.5 Block Flow Diagram for United States Patent 7 265 252	71
6.6 Aromatics Distribution in Conventional and Non-Conventional Routes.....	72
7.1 Simplified LLE and ED Flow Diagrams	75
7.2 Shell/UOP Sulfolane Process	78
7.3 Aromatics Fractionation Section	80
7.4 BTX Recovery Block Flow Diagram	81
7.5 Morphylane® Extractive Distillation Process Flow Diagram.....	84
8.1 Detol® Unit Simplified Flowsheet.....	89
8.2 Litol® Unit Simplified Flowsheet.....	92
8.3 Toluene Disproportionation Typical Flowsheet.....	96
9.1 Simplified Flow Diagram for Patent 7 759 535	104
9.2 Biomass to Aromatics Flow Diagram	111
9.3 Virent's Bioforming® Process Flow Diagram.....	113
10.1 Benzene, Toluene, and Naphtha Price History.....	117
10.2 Benzene Production from Various Technologies.....	120
10.3 Reformate Cost of Production	121
10.4 Benzene Cost of Production	129
10.5 Cost of Production of Reformate – Sensitivity to Pricing	144

10.6	Cost of Production of Benzene – Sensitivity to Pricing	145
10.7	Sensitivity of Cost of Production of Reformate to Feed Price	146
10.8	Sensitivity of Cost of Production of Benzene to Feed Price	147
10.9	Sensitivity of Cost of Production via TDP to Mixed Xylenes Price	148
10.10	Sensitivity of Cost of Production to LPG Price	149
10.11	Sensitivity of Reformate Cost of Production + ROCE to Economy of Scale.....	150
10.12	Sensitivity of Benzene Cost of Production +ROCE to Economy of Scale.....	151
10.13	Regional Analyses – Benzene Extraction from Pygas.....	152
10.14	Benzene to Toluene Price Delta.....	153
11.1	Benzene Derivatives	155
12.1	Global Distribution of Benzene Demand	163
12.2	Benzene Capacity by Region	165
12.3	Global Benzene Trade	166
12.4	U.S. Benzene End-Use Pattern.....	168
12.5	Western Europe Benzene End-Use Pattern	173
12.6	Asia Pacific Benzene End-Use Pattern	179

Table	Page
1.1 Typical BTX Composition from Pygas and Reformate	2
1.2 United States Benzene Supply, Demand, and Trade	12
1.3 Western Europe Benzene Supply, Demand, and Trade	13
1.4 Asia Pacific Benzene Supply, Demand, and Trade	15
1.5 Reformate Process Selection Matrix	18
2.1 Typical BTX Composition from Pygas and Reformate	21
2.2 Licensors of Aromatics Technology	23
2.3 Key Physical and Thermodynamic Properties of Benzene and Toluene	24
2.4 Benzene Specification	25
2.5 Toluene Specification	25
3.1 Basic Relationships in Catalytic Reforming	30
3.2 Typical Yields of UOP's Reforming Processes	45
3.3 Typical Yields of Axens' Reforming Processes	45
3.4 Typical Utilities of UOP and Axens Reforming Processes	46
4.1 Typical Pyrolysis Gasoline and Aromatics Yield in Steam Crackers ¹	52
4.2 Effect of Cracking Severity with Full Range Naphtha Feed on Pyrolysis Gasoline and Aromatics Yield	52
4.3 Typical Pyrolysis Gasoline Analysis	53
5.1 Typical Composition of Benzole	54
5.2 LCO verses Diesel Specifications	56
5.3 Typical LCO Quality	57
6.1 Aromax [®] Reforming Design Parameters	68
6.2 Aromax [®] Product Mix versus Feed Cut Point	69
7.1 Extractive Distillation: Effect of <i>n</i> -Formylmorpholine Solvent on Boiling Temperatures at One Atmosphere	74
7.2 Properties of Some Extraction Distillation Solvents	75
7.3 Comparisons of Different Solvent Systems for Aromatics Recovery	76
7.4 BTX Recovery Material Balance (Pygas)	82
7.5 BTX Recovery Material Balance (Reformate)	82
7.6 Benzene Product Quality from the Octenar [®] Process	85
8.1 Hydrodealkylation Processes	86
8.2 Detol [®] , Litol [®] , and Pyrotol [®] Overall Material Balances	88
10.1 Price And Utility Basis	118
10.2 Capacities and Investment	120
10.3 Cost of Production Estimate for Reformate Process: Continuous Catalyst Regeneration Reformer (included Hydrotreater)	124
10.4 Cost of Production Estimate for Reformate Process: RZ Platforming [™]	125

10.5	Cost of Production Estimate for Reformate Process: Cyclar™	126
10.6	Cost of Production Estimate for Reformate Process: Aromax®.....	127
10.7	Cost of Production Estimate for Reformate Process: Alpha.....	128
10.8	Cost of Production Estimate for Benzene Process: Reformate Extraction (Sulfolane) plus BTX Distillation	130
10.9	Cost of Production Estimate for Benzene Process: Solvent Extraction of Pygas	132
10.10	Cost of Production Estimate for Benzene Process: Extractive Distillation of Pygas	133
10.11	Cost of Production Estimate for Benzene Process: Bulk Dealkylation of Pygas	134
10.12	Cost of Production Estimate for Benzene Process: Litol Process (from Coke Oven Light Oil)	137
10.13	Cost of Production Estimate for Benzene Process: Toluene Hydrodealkylation (THDA).....	138
10.14	Cost of Production Estimate for Benzene Process: Toluene Disproportionation (TDP).....	139
10.15	Cost of Production Estimate for Benzene Process: Selective Toluene Disproportionation (STDP).....	140
10.16	Cost of Production Estimate for Benzene Process: C ₇ /C ₉ Transalkylation).....	142
10.17	Cost of Production Estimate for Benzene Process: Integrated Aromatics Complex	143
10.18	Regional Analyses – Benzene Extraction from Pygas	152
10.19	Reformate Process Selection Matrix	154
12.1	United States Benzene and Toluene Nameplate Capacity, 2010	170
12.2	United States Benzene Supply, Demand, and Trade.....	171
12.3	Western Europe Benzene and Toluene Nameplate Capacity, 2010.....	175
12.4	Western Europe Benzene Supply, Demand, and Trade	177
12.5	China Benzene and Toluene Nameplate Capacity, 2010	182
12.6	East Asia Benzene and Toluene Nameplate Capacity, 2010.....	184
12.7	South East Asia and Pacific Benzene and Toluene Nameplate Capacity, 2010.....	186
12.8	Asia Pacific Benzene Supply, Demand, and Trade.....	188

CHEMSYSTEMS

PERP PROGRAM



www.chemsystems.com

The ChemSystems Process Evaluation/Research Planning (PERP) program is recognized globally as the industry standard source for information relevant to the chemical process and refining industries. PERP reports are available as a subscription program or on a single report basis.

Contact Details:

London: Dr. Alexander Coker, Manager, PERP Program
Phone: + 44-(20)-70950-1570, e-mail: acoker@nexant.com

New York: Heidi Junker Coleman, Multi-Client Programs Administrator
Phone: + 1-914-609-0381, e-mail: hcoleman@nexant.com

Shanghai: Dr. Y. Larry Song, General Manager, Nexant China
Phone: +86 21 6182 6791, e-mail: ylsong@nexant.com

Nexant, Inc. (www.nexant.com) is a leading management consultancy to the global energy, chemical, and related industries. For over 38 years, ChemSystems has helped clients increase business value through assistance in all aspects of business strategy, including business intelligence, project feasibility and implementation, operational improvement, portfolio planning, and growth through M&A activities. Nexant has its main offices in San Francisco (California), White Plains (New York), and London (UK), and satellite offices worldwide.

Copyright © by Nexant Inc. 2011. All Rights Reserved.