

NO_x/SO_x Abatement
91S8

August 1993

CONTENTS

	Page
I SUMMARY	1
II INTRODUCTION	11
III TECHNOLOGY	14
A. BACKGROUND	14
1. Sulfur Oxides	14
2. Nitrogen Oxides	17
B. SO_x REDUCTION PROCESSES	26
1. Nonregenerative Processes	26
(a) Dry Sorbent Injection	26
(1) Chemistry	26
(2) Process Description	27
(b) Semidry Process	29
(1) Chemistry	29
(2) Process Description	29
(c) Limestone/Gypsum Process	32
(1) Chemistry	32
(2) Process Description	34
(d) Lime Process	36
2. Regenerative Processes	37
(a) Wellman-Lord	37
(1) Chemistry	37
(2) Process Description	38
(b) Cansolv [®] Amine Absorption System	40
(1) Chemistry	40
(2) Process Description	42
C. NO_x REDUCTION PROCESSES	44
1. Primary Methods	44
(a) Burner Controls	44

(b)	Diluent Injection	45
(c)	Flue Gas Recirculation	47
(d)	Low NO _x Burners	50
(e)	Staged Combustion	52
2.	Selective Noncatalytic Reduction	56
(a)	Chemistry	56
(b)	Thermal DeNO _x Process (EXXON)	58
(c)	NOxOUT [®] Process (Nalco Fuel Tech)	60
3.	Selective Catalytic Reduction	65
(a)	Chemistry	65
(b)	Process Arrangements	72
D.	COMBINED SO _x /NO _x REDUCTION PROCESSES	78
1.	Bergbau-Forschung/Uhde/Mitsui Carbon Adsorption Process	78
(a)	Chemistry	78
(b)	Process Description	80
(1)	Adsorption	80
(2)	Desorption	82
(3)	Sulfur Dioxide-Rich Gas Treatment	83
(4)	Sulfuric Acid Unit	84
(c)	Process Features	84
2.	Haldor Topsoe SNOX [®] Process	85
(a)	Chemistry	85
(b)	Process Description	86
3.	NOXSO Process	89
(a)	Chemistry	89
(b)	Process Description	91
E.	ECONOMICS	93

IV	TECHNICAL DEVELOPMENTS	98
	A. IMPROVEMENTS IN COMMERCIAL PROCESSES	98
	B. NEW TECHNOLOGY	103
	1. Methane-Based SCR	103
	2. Oxygen-Based Combustion	104
	3. Electron Beam Process	106
	4. Microwave-Regenerated Char Process (Cha)	108
V	LEGISLATION AFFECTING SO_x AND NO_x EMISSIONS	111
	A. THE UNITED STATES	111
	1. The Federal Clean Air Act	111
	(a) Underlying CAA Principles	111
	(b) Pertinent 1990 CAA Provisions	113
	(1) Title I - Provisions for Attainment and Maintenance of NAAQS	115
	(2) Title IV - Acid Deposition Control	116
	B. WESTERN EUROPE	119
	C. JAPAN	132
	REFERENCES	143

TABLES

		Page
Table III.D.1	Commercial SNOX [®] Facility Design Data	89
Table III.E.1	NO _x Reduction Process Base Case Economic Parameters	94
Table V.A.1	National Ambient Air Quality Standards	112
Table V.A.2	1990 CAA Overview by Title	114
Table V.A.3	Ozone Nonattainment Classifications and Compliance	116
Table V.B.1	Signatories to the Sofia Protocol	120
Table V.B.2	EEC Ceilings and Reduction Targets for SO ₂ Emissions from Existing Plants	121
Table V.B.3	EEC Ceilings and Reduction Targets for NO _x Emissions from Existing Plants	122
Table V.B.4	EEC SO ₂ Emission Limits for New Plants Using Gaseous Fuels	126
Table V.B.5	EEC NO _x Emission Limits for New Plants	126
Table V.B.6	U.K. Emission Limits for Combustion Processes	128
Table V.B.7	U.K. Emission Limits for Refineries	131
Table V.C.1	Ambient Air Quality Standards Set by the Japanese Government	133
Table V.C.2	Japanese New Source Emission Standards for SO _x and NO _x	134
Table V.C.3	General Japanese SO ₂ Standards	139
Table V.C.4	Special Japanese New-Source SO ₂ Standards	139

FIGURES

		Page
Figure III.A.1	U.S. NO _x Emission Trends	18
Figure III.A.2	Temperature Dependence of Coal-Fired Furnace NO _x Sources	19
Figure III.A.3	Effect of Air-to-Fuel Ratio on Thermal NO _x Emissions	21
Figure III.A.4	NO _x Measurement Conversion	23
Figure III.A.5	Photochemical Air Pollution	25
Figure III.B.1	Dry Sorbent Injection into Boiler	28
Figure III.B.2	Dry Sorbent Injection Separate Reactor	30
Figure III.B.3	Flue Gas Desulfurization by the Semidry Process	31
Figure III.B.4	Flue Gas Desulfurization by the Limestone-Gypsum Process	35
Figure III.B.5	Wellman-Lord Process	39
Figure III.B.6	Cansolv [®] Process	43
Figure III.C.1	Effect of Water Injection on NO _x	46
Figure III.C.2	Flue Gas Recirculation Flow Diagram	48
Figure III.C.3	Effect of Flue Gas Recirculation on NO _x	49
Figure III.C.4	Staged-Air Burner Cutaway Diagram	51
Figure III.C.5	Staged-Fuel Burner Cutaway Diagram	53
Figure III.C.6	NO _x Reburning with Natural Gas	55
Figure III.C.7	Selective Noncatalytic Reduction Schematic Diagram	59
Figure III.C.8	NO _x Reduction Relative to Flue Gas Temperature: Effect of Urea and Enhancers	61
Figure III.C.9	NO _x Reduction Relative to Ammonia Slip	62
Figure III.C.10	NOxOUT [®] Process with Multilevel Injection	64
Figure III.C.11	Effect of Temperature on Catalytic NO _x Reduction Efficiency	67
Figure III.C.12	Relationship between NO _x Reduction, Ammonia Slip, and Catalyst Volume	70
Figure III.C.13	Ammonia Slip Relative to Catalyst Age	71
Figure III.C.14	Outlet NO _x Relative to Catalyst Age	71
Figure III.C.15	SCR Reactor in High Dust Configuration	73
Figure III.C.16	SCR Reactor in Low Dust Configuration	74

Figure III.C.17	New Econ-NO _x [®] SCR Process Heater Installation	76
Figure III.C.18	Retrofit Econ-NO _x [®] SCR Process Heater Installation	77
Figure III.D.1	BF/Uhde/Mitsui Carbon Adsorption Process	81
Figure III.D.2	Haldor Topsoe SNOX [®] Process	87
Figure III.D.3	NOXSO Adsorption Process Flow Diagram	92
Figure III.E.1	U.S. Gulf Coast SO _x Removal and Combination Process Costs, Second Quarter 1993	95
Figure III.E.2	Effect on Economics of Adding NO _x Removal in U.S. Gulf Coast, Second Quarter 1993	97
Figure IV.A.1	Limestone Scrubbing Process with Advanced Features	100
Figure IV.A.2	Limestone Scrubbing with Multifunctional Reactor	102
Figure IV.B.1	Electron Beam Process Flow Diagram	107
Figure IV.B.2	Microwave-Regenerated Char Process Flow Diagram	109
Figure V.B.1	EEC SO ₂ Emission Limits for New Plants Using Solid Fuels	123
Figure V.B.2	Alternative to EEC SO ₂ Limits for Indigenous Solid Fuel Use	124
Figure V.B.3	EEC SO ₂ Emission Limits for New Plants Using Liquid Fuels	125
Figure V.B.4	U.K. SO ₂ Emission Limits, 1990	129
Figure V.B.5	U.K. NO _x Emission Limits, 1990	130
Figure V.C.1	Japanese Atmospheric Nitrogen Dioxide Concentration	136
Figure V.C.2	Japanese Flue Gas Denitrification Capacity	138
Figure V.C.3	Japanese Flue Gas Desulfurization Capacity	141
Figure V.C.4	Japanese Atmospheric Sulfur Dioxide Concentration	142